



NOTES

- Do not scale from this drawing.
- Any anomalies on this drawing should be brought to the attention of Conwy County Borough Council.
- All dimensions are in millimetres and all levels in metres unless stated otherwise
- The drawing shall be read in conjunction with all relevan drawings for the scheme.
- All dimensions shall be confirmed by the Contractor an any discrepancies brought to the attention of the Supervisor as soon as a discrepancy arises.
- All levels shown on this drawing are nominal and must be checked/agreed prior to construction. All levels to be agreed with the supervisor.
- 1.2m wide path, width to match existing with timber edgings, constructed of 25mm surface course, 55mm Binder course on 200mm Type 1 Sub Base.
- Path to be reinstated with Type 1 sub base. Width of path varies from 2.8m to 4.8m.

KEY

First angle Projection



В	Footpath details added.	DT	DT	07/03/22
Α	Wall height added	DT	DT	03/02/22
REV	DETAIL	DRAWN	CHECKED	DATE

Llanfairfechan Sea Wall Repair

TITLE

Typical Cross Sections

COLLAPSED SEA WALL

Conwy County Borough Council FR&I

SCALE @ A3:	DRAWN:	CHECKED:	APPROVED:	DWG STATUS:	5
	JR	DT	DT		190
1:100	DATE:	DATE:	DATE:	DRAFT	2000
	20/01/22	20/01/22	20-01-22		
					-



ENVIRONMENT, **ROADS & FACILITIES**

G.B. Edwards BEng (Hons) CEng FICE Head of Environment Roads & Facilities, Mochdre Offices, Conway Road, Mochdre, LL28 5AB.

Tel. (01492) 575337 Fax. (01492) 575199

PROJECT Ref: ERCF2106S DRAWING No 011

REV В